

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6101545".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:49
L2	92454	receiv\$4 near15 (request\$3 or inquiry or query) and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 13:01
L3	155	receiv\$4 near15 (request\$3 or inquiry or query) near15 file\$1 near2 type\$1 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 13:08
L4	2	receiv\$4 near15 (request\$3 or inquiry or query) near15 file\$1 near2 type\$1 same peer\$ and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 13:08
L5	11	receiv\$4 near15 (request\$3 or inquiry or query) near15 file\$1 near2 type\$1 and peer\$ and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:05
L6	1948	udp adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:05
L7	81	udp adj10 instead\$1 adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:06
L8	6	udp adj10 instead\$1 adj10 tcp\$4 near15 data and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:11
L9	0	select\$4 near10 udp adj10 instead\$1 adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:11
L10	0	(transmi\$6 or send\$4) near10 udp adj10 instead\$1 adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:12

EAST Search History

L11	1	(transmi\$6 or send\$4) near15 udp adj10 instead\$1 adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:12
L12	51	(transmi\$6 or send\$4) same udp adj10 instead\$1 adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:28
L13	0	(transmi\$6 or send\$4) same udp adj10 instead\$1 adj10 tcp\$4 near3 layer and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:28
L14	0	(transmi\$6 or send\$4) same udp adj10 instead\$1 adj10 tcp\$4 near3 layer\$1 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:28
L15	41	(transmi\$6 or send\$4) same udp adj10 instead\$1 adj10 tcp\$4 and (@ad<"20010220" or @rlad<"20010220") and layer\$1	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:28
L24	81	udp adj10 over adj10 tcp and (@ad<"20010220" or @rlad<"20010220") and udp near10 tcp	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:47
L25	5	transmi\$6 near15 udp adj10 over adj10 tcp and (@ad<"20010220" or @rlad<"20010220") and udp near10 tcp	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:51
L26	335	transmi\$6 near15 udp adj10 tcp and (@ad<"20010220" or @rlad<"20010220") and udp near10 tcp	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:51
S39	1	"6687753".pn.	US-PGPUB; USPAT	OR	OFF	2006/10/12 13:07
S40	1	"6687753".pn. and format\$4	US-PGPUB; USPAT	OR	OFF	2006/10/12 13:08
S41	29948	(cost\$1 or charg\$4) near15 format\$5 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 14:07
S42	29948	(cost\$1 or charg\$4) near15 format\$5 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 14:08
S43	183	(cost\$1 or charg\$4) near15 format\$5 and conver\$5 near15 (specif\$5 or request\$4) near10 format\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 16:52

EAST Search History

S44	3	(cost\$1) near15 format\$5 and cost\$1 near15 conver\$5 near15 (specif\$5 or request\$4) near10 format\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 16:51
S45	23	(cost\$1) near15 format\$5 and cost\$1 near15 rout\$4 and conver\$5 near15 (specif\$5 or request\$4) near10 format\$4 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 16:54
S46	12	(cost\$1) near15 format\$5 and cost\$1 near15 rout\$4 and cost near3 value\$1 near15 packet\$1 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 16:57
S47	43	cost near3 value\$1 near15 packet\$1 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 16:57
S48	12	cost near3 value\$1 near15 packet\$1 and cost near15 conver\$5 and(@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 16:57
S49	37	cost near3 value\$1 near15 packet\$1 and cost near15 (conver\$5 or format\$5 or rout\$5 or transcod\$4) and(@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 17:12
S50	13	cost near3 value\$1 near15 packet\$1 and cost near15 (conver\$5 or format\$5 or transcod\$4) and(@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 17:56
S51	124	cost\$3 near2 (calculat\$4 or function or algori\$6) same (format\$4 or conver\$5) same (rout\$4 or path\$3) and(@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 17:59
S52	24	cost\$3 near2 (calculat\$4 or function or algori\$6) same (format\$4 or conver\$5) same (rout\$4 or path\$3)and cost\$1 near (value\$1 or number\$1) and(@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:47

EAST Search History

S53	2	cost\$3 near2 (calculat\$4 or function or algori\$6) same (format\$4 or conver\$5) same (rout\$4 or path\$3)and cost\$1 near (value\$1 or number\$1) and(@ad<"20010220" or @rlad<"20010220") and (packet\$1 or send\$4 or transmi\$6 or notify\$6) near15 cost\$1 near (value\$1 or number\$1)	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:26
S54	1	09/935152	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:27
S55	0	09/935152 and unscripted	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:27
S56	0	09/935152 and two\$way near2 communication	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:27
S57	1	09/935152 and two\$way	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:30
S58	0	09/935152 and script\$4	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:31
S59	1	09/935152 and text\$4	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:31
S60	14	cost\$3 near (value\$1 or number\$1) same (format\$4 or conver\$5) same (rout\$4 or path\$3)and (send\$4 or transmi\$6) near15 cost\$1 near (value\$1 or number\$1) and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:52
S61	255	cost\$3 near15 (format\$4 or conver\$5) same (rout\$4 or path\$3)and (send\$4 or transmi\$6) near15 cost\$1 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:52
S62	53	cost\$3 near2 (calculat\$4 or function or algori\$6) and cost\$3 near15 (format\$4 or conver\$5) same (rout\$4 or path\$3)and (send\$4 or transmi\$6) near15 cost\$1 and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/12 18:53
S63	42	cost\$3 near2 (calculat\$4 or function or algori\$6) and cost\$3 near15 (format\$4 or conver\$5) same (rout\$4 or path\$3)and (send\$4 or transmi\$6) near15 cost\$1 and (@ad<"20010220" or @rlad<"20010220") not S60	US-PGPUB; USPAT	OR	OFF	2006/10/12 19:07

EAST Search History

S64	20	cost\$3 near2 (format\$4 or conver\$5) same cost\$1 near2 (route\$4 or path\$3)and (send\$4 or transmi\$6) near15 cost\$1 and (@ad<"20010220" or @rlad<"20010220") not S60	US-PGPUB; USPAT	OR	OFF	2006/10/12 19:08
S65	74	cost\$3 near2 (format\$4 or conver\$5) and (route\$1 or path\$3)and cost\$1 near (value\$1 or number\$1) and(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6) near15 cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:28
S66	0	cost\$3 near2 (format\$4 or conver\$5) same (route\$1 or path\$3)same cost\$1 near (value\$1) and(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6) near15 cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:27
S67	40	cost\$3 near2 (format\$4 or conver\$5) and cost\$1 near2 (route\$1 or path\$3)and cost\$1 near (value\$1 or number\$1) and(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6) near15 cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:48
S68	15	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near10 packet near15 cost\$1 near value\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:52
S69	15	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near10 packet near15 cost\$1 near value\$1 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:59
S70	373	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near10 packet near15 cost\$1 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 10:59
S71	13	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near10 packet near15 cost\$1 and cost\$1 near2 (convert\$4 or format\$4 or conversion\$1)	US-PGPUB; USPAT	OR	OFF	2006/10/13 11:00

EAST Search History

S72	4	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near10 packet near15 cost\$1 and cost\$1 near2 deliver\$4	US-PGPUB; USPAT	OR	OFF	2006/10/13 11:15
S73	283	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 cost\$1 near value\$1 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 11:17
S74	47	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 cost\$1 near value\$1 and cost\$1 near5 deliver\$5	US-PGPUB; USPAT	OR	OFF	2006/10/13 11:20
S75	1	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 cost\$1 adj value\$1 and cost\$1 near5 deliver\$5	US-PGPUB; USPAT	OR	OFF	2006/10/13 11:20
S76	283	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 cost\$1 near value\$1 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 11:20
S77	33	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 cost\$1 adj value\$1 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:30
S78	396	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 value\$1 near10 deliver\$5 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:29
S79	39	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6)near15 value\$1 near10 deliver\$5 and cost\$1 near15 value\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:30
S80	34	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4)near15 cost\$1 adj value\$1 and cost\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:31
S81	1	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4)near15 cost\$1 adj value\$1 and cost\$1 not S77	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:34

EAST Search History

S82	2	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4)near15 cost\$1 adj value\$1 near15 request\$4	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:35
S83	5	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4)near15 cost\$1 adj value\$1 near15 request\$4	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:40
S84	3974	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4)near15 (batter\$3 or power) same protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 13:41
S85	36	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4)near15 (batter\$3 or power) same protocol\$1 near5 efficien\$4	US-PGPUB; USPAT	OR	OFF	2006/10/13 16:13
S86	5	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4)near15 (batter\$3) same protocol\$1 near5 efficien\$4	US-PGPUB; USPAT	OR	OFF	2006/10/13 16:22
S87	1861	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4)near15 low near batter\$3	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:10
S88	26	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4)near15 low near batter\$3 same protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/13 16:23
S89	60	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 same protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:18

EAST Search History

S90	1	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 same protocol\$1 same efficien\$4	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:12
S91	60	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 same protocol\$1 and batter\$3	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:18
S92	57	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 same protocol\$1 and low near2 batter\$3	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:32
S93	40	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 same efficien\$4 and low near2 batter\$3	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:27
S94	39	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 same transport\$4 and low near2 batter\$3	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:38
S95	4060	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 low near batter\$3 and low near2 batter\$3	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:38
S96	804	(@ad<"20010220" or @rld<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 batter\$3 same protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:39

EAST Search History

S97	24	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 batter\$3 same (switch\$4 or chang\$4) near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:49
S98	146	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 (power or batter\$3) same (switch\$4 or chang\$4) near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:50
S99	3	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 power near2 status\$2 same (switch\$4 or chang\$4) near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:51
S10 0	15	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:53
S10 1	8	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:56
S10 2	1	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same different near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:55
S10 3	0	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same efficien\$4 near5 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:55
S10 4	2699	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4)	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:56

EAST Search History

S10 5	0	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near15 udp	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:56
S10 6	0	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near15 tcp	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:56
S10 7	0	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near15 rtp	US-PGPUB; USPAT	OR	OFF	2006/10/14 13:57
S10 8	2	(@ad<"20010220" or @rlad<"20010220") and (power or batter\$4) near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near15 transport\$4	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:02
S10 9	1123	(@ad<"20010220" or @rlad<"20010220") and batter\$4 near2 status\$2 same (select\$4 or switch\$4 or chang\$4)	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:01
S11 0	0	(@ad<"20010220" or @rlad<"20010220") and batter\$4 near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near15 transport\$4	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:02
S11 1	6	(@ad<"20010220" or @rlad<"20010220") and batter\$4 near2 status\$2 same (select\$4 or switch\$4 or chang\$4) near15 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:03
S11 2	11	(@ad<"20010220" or @rlad<"20010220") and batter\$4 near2 status\$2 near15 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:03
S11 3	11	(@ad<"20010220" or @rlad<"20010220") and batter\$4 near2 status\$2 near15 protocol\$1 and batter\$4 near2 status\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:27
S11 4	28	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 batter\$3 near status\$2 same efficien\$4	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:30

EAST Search History

S11 5	4	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 batter\$3 near status\$2 and efficien\$4 near3 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:33
S11 6	40	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 batter\$3 near status\$2 and (power or batter\$3) near3 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:34
S11 7	40	(@ad<"20010220" or @rlad<"20010220") and (send\$4 or transmi\$6 or notify\$6 or inform\$4 or receiv\$4 or indicat\$4)near15 batter\$3 near status\$2 and (power\$4 or batter\$3) near3 protocol\$1	US-PGPUB; USPAT	OR	OFF	2006/10/14 14:34
S11 8	3	conver\$4 near15 mpeg2 same mpeg4 and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:47
S11 9	0	conver\$4 near15 mpeg2 same mpeg4 and (@ad<"20010220" or @rlpd<"20010220") and congest\$5	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:58
S12 0	2	conver\$4 near15 mpeg2 same mpeg4 and (@ad<"20010220" or @rlpd<"20010220") and network\$4	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:45
S12 1	3	conver\$4 near15 bit near rate\$1 same connection same congest\$6 and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:51
S12 2	0	conver\$4 near15 bit near rate\$1 same connection same congest\$6 and (@ad<"20010220" or @rlpd<"20010220")and mpeg2 same mpeg4	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:48
S12 3	120	conver\$4 near15 bit near rate\$1 same connection and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:51
S12 4	18	conver\$4 near15 low\$2 near10 bit near rate\$1 same connection and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:56

EAST Search History

S12 5	0	conver\$4 near15 low\$2 near10 bit near rate\$1 same connection and (@ad<"20010220" or @rlpd<"20010220")and mpeg2 same mpeg4	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:51
S12 6	2	conver\$4 near15 low\$2 near10 bit near rate\$1 same congest\$5 and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:55
S12 7	0	conver\$4 near15 decreas\$4 near10 bit near rate\$1 same congest\$5 and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:55
S12 8	12	conver\$4 near10 bit near rate\$1 same congest\$4 and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 15:56
S12 9	0	conver\$4 near15 powerpoint same gif and (@ad<"20010220" or @rlpd<"20010220") and congest\$5	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:00
S13 0	0	powerpoint same gif and (@ad<"20010220" or @rlpd<"20010220") and congest\$5	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:01
S13 1	0	conver\$4 near15 powerpoint and (@ad<"20010220" or @rlpd<"20010220") and congest\$5	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:01
S13 2	11	conver\$4 near15 powerpoint and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:01
S13 3	0	conver\$4 near15 powerpoint same gif and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:01
S13 4	2	conver\$4 near15 powerpoint and gif and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:05
S13 5	8	conver\$4 near15 ppt and gif and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:05
S13 6	0	conver\$4 near15 ppt same gif and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:05
S13 7	15	ppt same gif and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:22

EAST Search History

S13 8	2850	udp near15 tcp and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:23
S13 9	98	udp near15 instead near10 tcp and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:23
S14 0	16	transmi\$6 near15 udp near15 instead near10 tcp and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:29
S14 1	1028	transmi\$6 near15 udp near10 tcp and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:28
S14 2	0	transmi\$6 near15 udp near15 instead near10 tcp.ab. and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:29
S14 3	0	(transmi\$6 near15 udp near15 instead near10 tcp).ab. and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:29
S14 4	75	(transmi\$6 near15 udp near15 instead near10 tcp)".ab" and (@ad<"20010220" or @rlpd<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:30
S14 5	1582	transmi\$6 near15 udp with tcp and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:31
S14 6	17	transmi\$6 near15 udp with tcp.ab. and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/17 12:59
S14 7	164	udp near10 instead near10 tcp and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:34
S14 8	106	udp adj10 instead near10 tcp and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:34
S14 9	81	udp adj10 instead adj10 tcp and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 16:51
S15 0	81	udp adj10 instead adj10 tcp and (@ad<"20010220" or @rlad<"20010220") and udp near10 tcp	US-PGPUB; USPAT	OR	OFF	2006/10/17 14:47
S15 1	1	"6101545".pn. and tcp and (@ad<"20010220" or @rlad<"20010220")	US-PGPUB; USPAT	OR	OFF	2006/10/16 17:18

EAST Search History

S15 2	1	"6101545".pn. and tcp and (@ad<"20010220" or @rlad<"20010220") and udp	US-PGPUB; USPAT	OR	OFF	2006/10/16 17:18
----------	---	--	--------------------	----	-----	------------------